



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/407,538

09/28/1999

RICHARD ALAN DIEDRICH

RO999114

2884

7590

01/12/2005

GERO G MCCLELLAN
THOMASON MOSER & PATTERSON
3040 POST OAK BOULEVARD SUITE 1500
HOUSTON, TX 77056

EXAMINER

YUAN, ALMARI ROMERO

ART UNIT

PAPER NUMBER

2176

DATE MAILED: 01/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Applicati n No. 09/407,538	Applicant(s) DIEDRICH ET AL.	
	Examiner Almari Yuan	Art Unit 2176	

-- The MAILING DATE of this c mmunication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 August 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-42 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-42 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is responsive to communications: Request for Reconsideration filed on 8/05/04.
2. Claims 1-42 are pending in the case. Claims 1, 19, 27, 35, and 38 are independent claims.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 1-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kanno et al. (USPN 6,526,424 B2 – filed on 03/1998) in view of Anupam et al. (USPN 6,535, 912 B1 – filed 08/1999).**

Regarding independent claim 1, Kanno discloses:

A method of verifying a bookmark, comprising the steps:

(a) storing, as a bookmark in at least a first data structure, first network information address of a document having content (on col. 2, lines 36-41: teaches registering the URL of a desired page as one element of the bookmark data);

Art Unit: 2176

(b) identifying embedded network information addresses within the content (on col. 19, line 65- col. 20, line 46: teaches determining URLs are between the tags within a HTML file or page (the URLs are hidden in the HTML page));

(c) automatically searching, at a predefined frequency, for the document located at the first network information address to determine whether the first network information address is retrievable; and wherein if the first network information address is retrievable (on col. 1, line 66- col. 6, line 13 and col. 19, line 65 – col. 20, line 25: teaches automatic traveling through pages and automatically accessing a page of an address designated by address information of a page included in each record of bookmark information; determining by automatic traveling of addresses URLs have been changed);

(d) determining whether the document has been moved to a second network information address different from the first network information address (on col. 19, line 65 – col. 20, line 25 and col. 21, lines 16-65: teaches by automatic traveling can determine if URLs have been changed or updated by locating within an HTML file a predetermined hidden tag at the old address (URL). The hidden tag can represent the new URL to relocate or access the updated page); and

(e) wherein if the first network information address is not retrievable (on col. 19, line 65- col. 20, line 46: teaches the URL between tags within the HTML file can also not be changed or updated; the user can still use the stored valid URL as a bookmark).

However, Kanno does not explicitly “making the identified embedded network information addresses available to a user via the stored bookmark”.

Art Unit: 2176

Anupam discloses a smart bookmark that retrieves stored traversal links related to the bookmarked requested web page (see col. 2, lines 51-66, col. 4, lines 45-55, and col. 9, line 26- col. 10, line 64).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Anupam into Kanno to provide a way to retrieve stored traversal links from the smart bookmarked requested web page, as taught by Anupam, incorporated into the bookmarking system of Kanno, in order for users to quickly visit his favorite pages in a WWW environment.

Regarding dependent claims 2 and 28, Kanno discloses:

wherein the first network information address is a Uniform Resource Locator (URL) (Kanno on col. 19, line 65 – col. 20, line 25: teaches addresses are URLs).

Regarding dependent claims 3, 22, and 29, Kanno discloses:

wherein the document located at the first network information address is a Hypertext Markup Language (HTML) document (Kanno on col. 19, line 65 – col. 20, line 25: teaches web site of pages in HTML).

Regarding dependent claims 4 and 20, Kanno discloses:

a user-defined frequency (Kanno on col. 5, line 66- col. 6, line 13: teaches address information of a page included in each record of bookmark information stored in storing unit at a predetermined time information and obtaining change information).

Regarding dependent claims 5, 8, and 16, Kanno discloses:

wherein if the document has been moved or has not been moved to the second network information address, replacing the first network information address in the first data structure with the second network information address (Kanno on col. 19, line 65 –

Art Unit: 2176

col. 20, line 25 and col. 21, lines 16-65: teaches by automatic traveling can determine if URLs have been changed or updated by locating within an HTML file a predetermined hidden tag at the old address (URL). The hidden tag can represent the new URL to relocate or access the updated page, in other words, the old URL is replaced with a new URL).

Regarding dependent claims 6 and 10, Kanno discloses:

wherein determining whether the information has been moved to the second network information address comprises detecting only a single hypertext link in a forwarding document located at the first network information address (Kanno on col. 19, line 25 – col. 20, line 25: teaches automatic traveling unit searches for hidden tags of an HTML file to retrieve new URL).

Regarding dependent claims 7, 9, 18, 26, and 30, Kanno discloses:

determining whether the document has changed comprising comparing a stored first date to a second date returned by a server (Kanno on col. 19, line 65 – col. 20, line 25: teaches determining a change in data and time by comparing with bookmark information containing old data and time).

Regarding dependent claims 11-12 and 14, Anupam discloses:

storing each identified embedded network information address in a second data structure containing one or more second data fields which relate to the embedded network information addresses (Anupam on col. 2, lines 51-66, col. 4, lines 45-55, and col. 9, line 26- col. 10, line 64 teaches stored traversal links related to the bookmarked requested web page).

Art Unit: 2176

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Anupam into Kanno to provide a way to retrieve stored traversal links from the smart bookmarked requested web page, as taught by Anupam, incorporated into the bookmarking system of Kanno, in order for users to quickly visit his favorite pages in a WWW environment.

Regarding dependent claim 15, Kanno discloses:

attempting to download the information located at first network information address, wherein a successful attempt indicates that the first network information address is retrievable and an unsuccessful attempt indicates that the first network information address is irretrievable (Kanno on col. 19, line 65 – col. 20, line 25: teaches determining if addresses (URLs) have been changed; a relevant page cannot be found due to a change of address).

Regarding dependent claim 17, Kanno discloses:

the first network information address is retrievable, determining whether the document has changed (Kanno on col. 19, line 65 – col. 20, line 25: teaches determining if addresses (URLs) have been changed).

Regarding independent claim 19, Kanno discloses:

A computer implemented automated method for maintaining bookmarks, comprising:

(a) storing, in a data structure, a bookmark to a network information address of a document having content (Kanno on col. 2, lines 36-41: teaches registering the URL of a desired page as one element of the bookmark data);

(b) scanning the content for one or more embedded network information addresses, wherein if any embedded network information addresses are found, storing the

Art Unit: 2176

embedded network information addresses (Kanno on col. 1, line 66- col. 6, line 13 and col. 19, line 65 – col. 20, line 25: teaches automatic traveling through pages and automatically accessing a page of an address designated by address information of a page included in each record of bookmark information; determining by automatic traveling of addresses URLs have been changed); and

(c) periodically determining whether the network information address has changed and; wherein if the network information address has changed: determining whether a forwarding network information address is provided; and (Kanno on col. 19, line 65 – col. 20, line 25 and col. 21, lines 16-65: teaches by automatic traveling can determine if URLs have been changed or updated by locating within an HTML file a predetermined hidden tag at the old address (URL). The hidden tag can represent the new URL to relocate (forwarding address) or access the updated page)

However, Kanno does not explicitly “associating the bookmark with the embedded network information addresses”.

Anupam discloses a smart bookmark that retrieves stored traversal links related to the bookmarked requested web page (see col. 2, lines 51-66, col. 4, lines 45-55, and col. 9, line 26- col. 10, line 64).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Anupam into Kanno to provide a way to retrieve stored traversal links from the smart bookmarked requested web page, as taught by Anupam, incorporated into the bookmarking system of Kanno, in order for users to quickly visit his favorite pages in a WWW environment.

Regarding dependent claim 21, Kanno discloses:

Art Unit: 2176

wherein periodically determining whether the bookmark network information address has changed comprises attempting to download the document (Kanno on col. 2, lines 1-15: teaches download of relevant data and on col. 19, line 65 – col. 20, line 25 and col. 21, lines 16-65: attempting to access a page).

Regarding dependent claim 23, Kanno discloses:

wherein periodically determining whether the network information address has changed comprises loading the network information address from the data structure and attempting to locate the document on a server, wherein a successful attempt indicates that the network information address has not changed and an unsuccessful attempt indicates that the network information address has changed (Kanno on col. 19, line 65 – col. 20, line 25: teaches automatic traveling unit travels pages to determine if addresses thereof have been changed; a page cannot be found due to a change in address. When the automatic traveling unit receives the tag “relocate”, it accesses the address (URL) represented by “REURL” obtains title and URL to update the record of the bookmark data file).

Regarding dependent claim 24, Kanno discloses:

that the network information address has changed, and if the forwarding to the network information address is provided, replacing the network information address in the data structure with a bookmark to the forwarding network information address (on col. 19, line 65 – col. 20, line 25 and col. 21, lines 16-65: teaches determine if URLs have been changed or updated by locating within an HTML file a predetermined hidden tag at the old address (URL). The hidden tag can represent the new URL to relocate

Art Unit: 2176

(forwarding network information address) or access the updated page, in other words, the new URL replaces the old URL).

Regarding dependent claim 25, Kanno discloses:

that the bookmark network information address has not changed, determining whether the content has changed (Kanno on col. 19, line 65 – col. 20, line 25: teaches determining if addresses (URLs) have been changed).

Regarding independent claim 27, Kanno discloses:

A signal bearing medium for storing a program that when executed by a computer performs a operation comprising:

(a) downloading a bookmark network information address of a document having content (Kanno on col. 5, line 66 – col. 6, line 13: teaches managing bookmark information and obtaining change information of a page);

(b) storing the bookmark network information address in a data structure (Kanno on col. 2, lines 36-41: teaches registering the URL of a desired page as one element of the bookmark data);

(c) scanning the content for one or more embedded network information addresses, wherein if any embedded network information addresses are found, storing the embedded network information addresses in the data structure; and (d) periodically determining whether the information is retrievable at the bookmark network information address (Kanno on col. 1, line 66- col. 6, line 13 and col. 19, line 65 – col. 20, line 25: teaches automatic traveling through pages and automatically accessing a page of an address designated by address information of a page included in each record of bookmark

Art Unit: 2176

information; determining by automatic traveling of addresses URLs have been changed), wherein:

(i) if the information is not retrievable at the bookmark network information address, determining whether a forwarding network information address is provided, wherein if the forwarding network information address is provided, replacing the bookmark network information address in the data structure with the forwarding network information address, and wherein if a forwarding network information address is not provided (Kanno on col. 19, line 65 – col. 20, line 25 and col. 21, lines 16-65: teaches automatic traveling unit travels pages to determine if addresses thereof have been changed; a page cannot be found due to a change in address. When the automatic traveling unit receives the tag “relocate”, it accesses the address (URL) represented by “REURL” obtains title and URL to update the record of the bookmark data file; an HTML file has a predetermined hidden tag representing the new URL to relocate or access the updated page, in other words, the new URL replaces the old URL);

(ii) if the information is retrievable at the bookmark network information address, determining whether the information has changed, wherein if the information has changed, repeating (c) (Kanno on col. 19, line 65 – col. 20, line 25: teaches the URL has changed to a new URL).

However, Kanno does not explicitly “generating a backup document containing the embedded network information addresses stored in the data structure (bookmark)”

Anupam discloses a smart bookmark that retrieves stored traversal links related to the bookmarked requested web page (see col. 2, lines 51-66, col. 4, lines 45-55, and col. 9, line 26- col. 10, line 64).

Art Unit: 2176

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Anupam into Kanno to provide a way to retrieve stored traversal links from the smart bookmarked requested web page, as taught by Anupam, incorporated into the bookmarking system of Kanno, in order for users to quickly visit his favorite pages in a WWW environment.

Regarding dependent claims 31-33, Kanno discloses:

wherein the bookmark network information address identifies a server computer connected to a client computer, and wherein the program is located on the client computer herein the client computer; the server computer are the same computer system; the client computer and he server computer comprise different computer systems connected by a network (Kanno on col. 19, lines 7-31: teaches URL used to locate the WWW server which is in communication with the WWW browser).

Regarding dependent claim 34, Kanno discloses:

wherein the data structure is stored on the client computer (Kanno on col. 21, lines 16-65: teaches stored content or address of a page).

Regarding independent claim 35, Kanno discloses:

A computer implemented method of managing bookmarks, comprising:

(a) in response to a user request to bookmark a web page: storing a network address for the web page in a bookmark data structure; storing each hypertext link embedded in the web page in the bookmark data structure in a manner which associates the embedded hypertext links and the web page (Kanno on col. 2, lines 36-41 and col. 3, lines 1-12: teaches registering (adding) the URL of a desired page or performing "net surfing" as one element of the bookmark data); and associating a graphical bookmark

Art Unit: 2176

object of a bookmark menu with the web page (on col. 10, lines 12-67: teaches bookmark display screen composed of a menu portion); and

(b) determining whether the web page has moved to a different network address; (c) if the web page has moved, determining whether an updated network address for the web page can be located; and (d) if the updated network address cannot be located (Kanno on col. 19, line 65 – col. 20, line 25 and col. 21, lines 16-65: teaches automatic traveling unit travels pages to determine if addresses thereof have been changed; a page cannot be found due to a change in address. When the automatic traveling unit receives the tag “relocate”, it accesses the address (URL) represented by “REURL” obtains title and URL to update the record of the bookmark data file; an HTML file has a predetermined hidden tag representing the new URL to relocate or access the updated page, in other words, the new URL replaces the old URL).

However, Kanno does not explicitly “associating the graphical bookmark object with the stored embedded hypertext links of the web page”.

Anupam discloses a smart bookmark that retrieves stored traversal links related to the bookmarked requested web page (see col. 2, lines 51-66, col. 4, lines 45-55, and col. 9, line 26- col. 10, line 64).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Anupam into Kanno to provide a way to retrieve stored traversal links from the smart bookmarked requested web page, as taught by Anupam, incorporated into the bookmarking system of Kanno, in order for users to quickly visit his favorite pages in a WWW environment.

Regarding dependent claim 36, Kanno discloses:

Art Unit: 2176

wherein (b) is performed at a predefined frequency (Kanno on col. 5, line 66- col. 6, line 13: teaches address information of a page included in each record of bookmark information stored in storing unit at a predetermined time information and obtaining change information).

Regarding dependent claim 37, Kanno discloses:

displaying the stored embedded hypertext links of the web page upon a user selection of the graphical bookmark object (Kanno on col. 10, lines 12-67: teaches display page accessed and retrieved by selection of a registered bookmark image or icon).

Regarding claims 38-42, the limitations of claims 38-42 incorporates substantially similar subject matter as in claims 1-37, and are rejected under the same rationale.

Response to Arguments

5. Applicant's arguments filed 8/05/04 have been fully considered but they are not persuasive.

Regarding Applicant's remarks on pages 10-11:

Applicant argues that Anupam does not teach, show, or suggest that if a first network information address stored in a bookmark data structure is not retrievable, identified embedded network information addresses are made available to a user via stored bookmark.

Referring to independent claim 1 above, the Examiner has cited Kanno to teach "wherein if the first network information address is not retrievable", on col. 19, line 65-

Art Unit: 2176

col. 20, line 46: teaches the URL between tags within the HTML file can also not be changed or updated; the user can still use the stored valid URL as a bookmark.

Furthermore, Anupam does teach and suggest “identified embedded network information addresses available to a user via the stored bookmark”, on col. 2, lines 51-66, col. 4, lines 45-55, and col. 9, line 26- col. 10, line 64: teaches a smart bookmark that retrieves stored traversal links related to the bookmarked requested web page, in other words, the smart bookmark is a bookmarked web page; wherein the web page contains traversal links which can be retrieved by user via the smart bookmark. Therefore, the rejection is maintained.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Art Unit: 2176


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Almari Yuan whose telephone number is 571-272-4104. The examiner can normally be reached on Mondays - Fridays (8:30am - 5:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild, can be reached on 571-272-4090. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AY

January 9, 2005


JOSEPH FEILD
SUPERVISORY PATENT EXAMINER